FIG. 1A




FIG. 1B





FIG. 1C



TITLE: MIS-TYPE FIELD-FFFFCT

TRANSISTOR

FIG. 2A




FIG. 2B





FIG. 2C



Title: MIS-TYPE FIELD-EFFEÇT TRANSISTOR

FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 5A




FIG. 5B




FIG. 6




FIG. 7A




FIG. 7B





FIG. 7C



THE: MIS-1 YEE FIELD-EFFECT

TRANSISTOR

FIG. 8A




FIG. 8B





FIG. 8C



ine: IVIIS-1 YEE TIELD-EFFECT TRANSISTOR Inventor(s): Kazuya UEЛМА

DOCKET NO.: 065686-0163

FIG. 9A




FIG. 9B




FIG. 9C




FIG. 10A




FIG. 10B






FIG. 10C



The: MIS-1 YEE FIELD-EFFECT TRANSISTOR

FIG. 11A






FIG. 15




FIG. 16






FIG. 17



Title: MIS-TYPE FIELD-EFFECT
TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163

FIG. 18A 2.4 **ELECTRON** 2. 2 0 RATE OF MOBILITY INCREASE CALCULATION 2.0 (Rashed) န 1.8 1.6 CALCULATION 1.4 (TAKAGI) 1.2 1.0 STRAIN 1% 0.8 0 5 10 15 20 25 30 35 40 Ge CONCENTRATION



OF SUBSTRATE(%)

Title: MIS-TYPE FIELD-EFFECT

TRANSISTOR

FIG. 19A




FIG. 19B





FIG. 19C



Title: Mis-i Yr は Fi にしいーにに ごこし -

TRANSISTOR

FIG. 20A




FIG. 20B







FIG. 21



Title: MIS-1 YPE FIELD-EFFECT TRANSISTOR Inventor(s): Kazuya UEJIMA


DOCKET NO.: 065686-0163





TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163


FIG. 24



ittie: Milo-i Yre rield-errel i


FIG. 24 CONTINUE

TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163




TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163


FIG. 25



Title: MIS-TYPE FIELD-EFFECT
TRANSISTOR
Inventor(s): Kazuya UEJIMA

FIG. 26





TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163

FIG. 28






FIG. 29A

FIG. 29C



itie: Mid-1 Yrd Field-effeli

TRANSISTOR
Inventor(s): Kazuya UEJIMA
DOCKET NO.: 065686-0163









FIG. 31

Inventor(s): Kazuya UEJIMA DOGKET NO.: 065686-0163



LOWER DIAGRAMS ARE SCHEMATIC VIEWS OF UPPER DIAGRAMS WHEN THE UPPER DIAGRAMS ARE VIEWED DIRECTLY FROM THE SIDE





The. Mid-1 If E field-effect

TRANSISTOR

FIG. 35A




FIG. 35B




FIG. 35C




FIG. 36A




FIG. 36B





FIG. 36C



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FABED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.